

山东仁丰特种材料股份有限公司
Shandong Renfeng Special Matreials Co., LTD.
物质安全资料表
Material Safety Data Sheet

一、公司地址和联系信息:

Company address with contact the information:

地址: 山东省淄博市桓台县起凤镇仁丰路	
Address: Renfeng Road Qifeng Town Huantai County Zibo City Shandong Province	
电话: 0533--8690983	Tel: +86-533--8690983
传真: 0533-8698158	Fax: +86-533-8698158

二、产品名称 Product name:

食品包装纸	food wrapping paper
-------	---------------------

三、原纸及涂层结构成分:

Original paper and draw the layer construction composition:

组成物料名称 composition part name	化学成分名称 substance name of composition	化学成分 CAS 编 号 CASNumber.	化 学 成 分 EINECS 编 号 EINECS Number	化学成分占总物 料 重 量 百 分 w/w%(substance in part)
纤维 Fiber	65996-61-4	65996-61-4	265-995-8	85--92%
其它成分 other composition	滑石粉 Talcum powder	14807-96-6		5--10%
	淀粉 starch	9005-25-8	232-679-6	1--2%
	烷基烯酮二聚体 AKD		-----	0.3--0.5%

四、潛在的危險 Latent danger:

无 NO

五、急救措施 First aid measures:

眼睛接触 Eye contact:	送医治疗 Hospital Treatment	皮肤接触 Skin contact:	无 NO
吸入 Inhalation:	无 NO	食入 Ingestion:	无 NO

六、火警处理 The fire alarm:

适用灭火器材：常见灭火器材均可使用，如：水、二氧化碳灭火器、干粉灭火器以及泡沫灭火器等。

The fire extinguisher: The familiar fire extinguisher all can use, Such as: water, carbon dioxide fire extinguisher, Powder fire extinguisher and foam fire extinguisher etc.s.

七、使用和储存 Usage with storage:

正常使用及储存，防止日晒雨淋，避免受潮，使用前应保持包装完好。

Normal usage in and storage, avoid insolation rain, avoid affecting by damp and cold. Before using should keep the packing being intact.

八、个人防护 Personal protection:

无 NO

九、物理性质和安全技术数据:

Physical property with safe technique data;

形态 appearance: 固态 solid	气味 odor: 无异味 Have no the strange smell
颜色 color: 白色 with	燃点 flash point:

十、稳定性 Stability:

腐蚀性 Causticity: 无 NO

危险反应 Dangerous reaction in: 无 NO

十一、毒理性资料 Poison reasonableness data:

铅、镉、汞等重金属含量经由 SGS 通标公司检测符合 ROHS 指令及 EN71 标准中关于包装物中重金属限量的要求，对人体及环境有影响的毒害有机化合物含量经由 SGS 通标公司检测合格，可以用做用于接触式食品包装。

The content of heavy metal such as lead, cadmium, and Hg match the requirement of setting limit to heavy metal in the package of the standard from ROHS injunction and EN71 through the testing of SGS.

The content of deleterious organic compound which influence people and condition is eligible through the testing of SGS. It also can be used for ,it is recommended to be used for contact food packaging.

滑石粉和烷基烯酮二聚体 (AKD) 在浆内添加。正面涂料主要成分为淀粉施胶。Calcum powder and AKD is added in the pulp. The main composition in positive coating is the starch surface sizing agent.

十二、生态资料 Ecological information:

产品使用 FSC 原生木浆作原料，属环保型产品。

The raw material is the FSC raw wood pulp in usage in product makes, belonging to the environmental protection type product.

十三、废弃处理 Abandon to handle:

产品属可再生资源，可重复循环利用生产其他产品；在适宜的环境下，纤维可被微生物降解。

The product of belongs to reborn resources, re-usable circulate to make use of other products; under the feat environment, fiber can was declined the solution by the microorganism.

十四、运输 Conveyance:

纸件在运输过程中，应使用有篷布而且洁净的运输工具，纸件固定，禁止纸件滚动或倾倒。

The board piece should use the van and clean conveyance tools in transport process, the board piece should be fixed, the prohibition against board piece rolls over or damage.

严禁包装破损，严禁雨淋日晒，严禁将纸件从高处扔下，造成硬性破损。

Strictly forbid the packing damaged, strictly forbid rain pour and avoid the insolation, strictlying forbid to throw down from the eminence the paper piece, making rigidity damaged.

十五、法规资料 Regulation information:

引用法规 application of law: 消防法规 Fire precaution ordinance

十六、其它资料 Other information:

参考文献 Reference:	制表单位 Make Unit:
制表人 Make People: Mr.Han	制表日期 Make date: 2018-9-25